


Figure 1 DisplayPort video

**Key**  
Yellow = End user  
Green = OEM  
Blue = Thruput

**Sentinel connection diagram**  
Copyright 2017  
Thruput Limited  
DN 1343-0100 Issue: 8.5 Date: Aug 2017




Part number	Resolution output by graphics card	POE power (IEEE 802.3af)	DC power (rating)
GF SENT TX DVI 4Kx2K	up to 3840 x 2160	up to 5 W	5V 1A
GF SENT TX DVI DL	up to 2560 x 1600, 2048 x 2048	up to 5 W	5V 1A
GF SENT TX DVI-I	up to 1920 x 1200	up to 5 W	5V 1A

Figure 2 DVI DL or SL video

**Key**  
 Yellow = End user  
 Green = OEM  
 Blue = Thruput

**Sentinel connection diagram**  
 Copyright 2017  
 Thruput Limited  
 DN 1343-0100 Issue: 8.5 Date: Aug 2017



Part number	Resolution output by graphics card)	POE power (IEEE 802.3af )	DC power (rating)
GF SENT TX DVI-I	up to 1600 x 1200	up to 5 W	5V 1A

For High resolution analogue video, use the Sentinel RGB portal and GF SENT TX DVI DL.

Figure 3 Analogue video

**Key**  
 Yellow = End user  
 Green = OEM  
 Blue = Thruput

**Sentinel connection diagram**  
 Copyright 2017  
 Thruput Limited  
 DN 1343-0100 Issue: 8.5 Date: Aug 2017